Page: 1 of 6

Revision: 09/03/2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Bulldog Multi Bond Adhesive

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100 Memphis. TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892
Intended Use: General purpose adhesive for use on a variety of surfaces.

Product Code: EBDA001

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2

Skin Sensitization, Category 1



GHS Signal Word: Warning

GHS Hazard Phrases: Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

GHS Precautionary Phrases: Avoid breathing gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Specific treatment see label.

If skin irritation occurs, get medical advice/attention.

If skin irritation or rash occurs, seek medical advice/attention.

If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash before re-use.

Wash contaminated clothing before reuse.

GHS Storage and Disposal

Phrases:

Dispose of contents/container according to local, state and federal regulations.

Potential Health Effects See above.

(Acute and Chronic):

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
NA	(Trade Secret)	30.0 -60.0 %
NA	(Trade Secret)	10.0 -30.0 %
NA	(Trade Secret)	1.0 -5.0 %
NA	(Trade Secret)	0.1 -1.0 %
NA	(Trade Secret)	0.1 -1.0 %

Licensed to W.M. Barr and Company

Revision: 09/03/2020

Additional Chemical Information

Specific percentage of composition is being withheld as a trade secret.

4. FIRST AID MEASURES

Emergency and First Aid

Skin:

Procedures:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down.

5. FIRE FIGHTING MEASURES

Flash Pt: N.D.

Explosive Limits: LEL: N.D. UEL: N.D.

Autoignition Pt: N.D.

Suitable Extinguishing Media:Use carbon dioxide, dry powder, water spray, or foam.

Unsuitable Extinguishing

Fire Fighting Instructions:

Media:

Solid streams of water may be ineffective and spread material.

Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have

been exposed to intense heat or flame.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

Thermal decomposition may produce toxic fumes of Carbon monoxide and/or Carbon

dioxide.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Vapors may cause flash fire or ignite explosively.

Clean up: Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources; keep flares, smoking or flames out of hazard area. Use non-sparking tools. Use proper bonding and grounding methods for all equipment and processes. Keep out of waterways and bodies of water. Be cautious of vapors collecting in small enclosed spaces, sewers, low lying areas, confined spaces, etc.

Small spills: Take up with sand, earth or other noncombustible absorbent material and

Licensed to W.M. Barr and Company

GHS format

Page: 3 of 6

SAFETY DATA SHEET Bulldog Multi Bond Adhesive

Revision: 09/03/2020

place in a plastic container where applicable.

Large spills: Dike far ahead of spill for later disposal.

Waste Disposal: Dispose in accordance with applicable local, state and federal

regulations.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in

Keep container tightly closed when not in use. Store in a cool, dry and well ventilated

Storing:

place. Do not store near water.

Other Precautions: Incompatible with moisture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Equipment (Specify Type):

For use in areas with inadequate ventilation or fresh air, wear a properly maintained and properly fitted NIOSH approved respirator for organic solvent vapors.

For OSHA controlled work places and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding the appropriate TLV.

A dust mask does not provide protection against vapors.

Eye Protection: Safety glasses should be worn during normal handling of this material.

Where contact with the eyes or face is likely, a faceshield or chemical splash goggles

should be worn to prevent eye contact.

Protective Gloves: Wear gloves with as much resistance to the chemical ingredients as possible. Glove

materials such as nitrile rubber may provide protection. Glove selection should be based

on chemicals being used and conditions of use. Consult your glove supplier for

additional information. Gloves contaminated with product should be discarded and not

reused.

Other Protective Clothing: Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.):

Use process enclosures, local exhaust ventilation, or other engineering controls to $% \left\{ 1,2,\ldots ,n\right\}$

control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air.

Revision: 09/03/2020

Practices:

Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, smoking, or using the

restroom.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [] Solid [X]Liquid

Appearance and Odor: Odorless, liquid paste

Odor threshold not determined.

pH: N.D. Melting Point: N.D. N.D. **Boiling Point:** Flash Pt: N.D. N.D. Evaporation Rate:

No data available. Flammability (solid, gas):

LEL: N.D. **Explosive Limits:** UEL: N.D. N.D.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): N.D. Specific Gravity (Water = 1): N.D.

15.01 LB/GL Density:

N.D. Solubility in Water: Octanol/Water Partition N.D.

Coefficient:

NE 0.0 % by weight. Percent Volatile:

VOC / Volume: NE HAP / Volume: NE **Autoignition Pt:** N.D. **Decomposition Temperature:** N.D. Viscosity: N.D. N.D. **Corrosion Rate:**

Additional Physical ND = Not determined Information NE = Not established

10. STABILITY AND REACTIVITY

None under normal processing. Reactivity: Unstable [] Stable [X] Stability:

Conditions To Avoid -None known

Instability:

Incompatibility - Materials To Moisture

Avoid:

Hazardous Decomposition or Thermal decompostion may produce toxic fumes of cabon monoxide and/or carbon

Byproducts: dioxide.

Possibility of Hazardous Will occur [] Will not occur [X]

Licensed to W.M. Barr and Company **GHS** format

Revision: 09/03/2020

Reactions:

Conditions To Avoid - Keep out of reach of children.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

Carcinogenicity/Other IARC 2B: Possibly carcinogenic to humans.

Information: ACGIH A3 - Animal Carcinogen

I	CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
	NA	(Trade Secret)	n.a.	n.a.	n.a.	n.a.
	NA	(Trade Secret)	n.a.	n.a.	n.a.	n.a.
	NA	(Trade Secret)	n.a.	n.a.	n.a.	n.a.
	NA	(Trade Secret)	n.a.	n.a.	n.a.	n.a.
I	NA	(Trade Secret)	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological This product has not been tested as a whole. The product is not classified as

Information: environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Persistence and

Degradability:

Not determined.

Bioaccumulative Potential: Not determined.

Mobility in Soil: Not determined.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

Do not place material in general trash.

Do not allow material to enter bodies of water or sewers.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not regulated.

UN Number: Packing Group:

Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not regulated.

UN Number: Packing Group:

Hazard Class:

Revision: 09/03/2020

15. REGULATORY INFORMATION								
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists								
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)				
NA	(Trade Secret)	No	No	No				
NA	(Trade Secret)	No	No	No				
NA	(Trade Secret)	No	No	No				
NA	(Trade Secret)	No	No	No				
NA	(Trade Secret)	No	No	No				
CAS # Hazardous Components (Chemical Name)		Other US EPA o	r State Lists					
NA	(Trade Secret)							
NA	(Trade Secret)							
NA	(Trade Secret)							
NA	(Trade Secret)							
NA	(Trade Secret)							

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 09/03/2020

Preparer Name: EHS Department

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.