Page: 1 of 6 Printed: 09/12/2023 Revision: 09/12/2023

Supersedes Revision: 04/29/2020

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Klean Strip TSP Substitute

Company Name: W. M. Barr

2105 Channel Avenue Memphis, TN 38113

Web site address: www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346

**Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: General Purpose Cleaner

Product Code: QKTP348

## 2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 3

Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: Warning

**GHS Hazard Phrases:** H316: Causes mild skin irritation.

H319: Causes serious eye irritation.

GHS Precautionary Phrases: P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases: P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+313: If skin irritation occurs, get medical advice/attention. P337+313: If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal** 

Phrases:

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Potential Health Effects INHALATION ACUTE EXPOSURE EFFECTS:

(Acute and Chronic): May cause irritation of the upper respiratory tract.

EYE CONTACT ACUTE EXPOSURE EFFECTS:

This material is an eye irritant. May cause transient corneal injury.

INGESTION ACUTE EXPOSURE EFFECTS:

Slightly toxic if ingested.

SKIN CONTACT:

Wash off immediately with soap and plenty of water. Get medical attention if irritation

develops and persists.

Printed: 09/12/2023 Revision: 09/12/2023

Supersedes Revision: 04/29/2020

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Components (Chemical Name)** Concentration

6834-92-0 Silicic acid (H2SiO3), Disodium salt {Sodium

metasilicate (pentahydrate)}

0.1 -1.0 % 68439-46-3 Alcohols, C9-11, ethoxylated

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

0.1 -1.0 %

nformation

### 4. FIRST AID MEASURES

**Emergency and First Aid** 

Skin:

Procedures:

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of water and mild soap, if available. Seek medical attention if irritation develops or

persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes. Seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person.

Signs and Symptoms Of

**Exposure:** 

See Potential Health Effects.

### 5. FIRE FIGHTING MEASURES

Flash Pt: None Method Used: No Flash To Boiling

LEL: N.D. UEL: N.D. **Explosive Limits:** 

N.D. Autoignition Pt:

Suitable Extinguishing Media: Carbon dioxide, dry powder, or foam.

Unsuitable Extinguishing

None known.

Media:

Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when Fire Fighting Instructions:

any material is involved in a fire.

Flammable Properties and

Hazards:

Flashpoint: No flash to boiling. Will not burn.

**Hazardous Combustion** 

Carbon dioxide, carbon monoxide

**Products:** 

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

**GHS** format

Page: 2 of 6

Page: 3 of 6 Printed: 09/12/2023 Revision: 09/12/2023 Supersedes Revision: 04/29/2020

### 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.

## 7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

If the work area is not properly ventilated to keep airborne levels below their exposure limits, you must use a properly fitted and maintained NIOSH approved respirator for organic vapors. A dust mask does not provide protection against vapors.

Eye Protection:

Safety glasses, chemical goggles, or face shields are recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn while working with chemicals.

Protective Gloves:

Nitrile, neoprene, natural rubber

Other Protective Clothing:

Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure.

**Engineering Controls** (Ventilation etc.):

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately

and move to fresh air.

Practices:

Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area. Discard any clothing or other protective equipment that cannot be decontaminated.

Page: 4 of 6 Printed: 09/12/2023 Revision: 09/12/2023

	Supersedes Revision: 04/29/2020
9.	PHYSICAL AND CHEMICAL PROPERTIES
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid
Appearance and Odor:	Opaque blue with mild odor. Odor threshold not determined.
pH:	12.2 - 13.0
Melting Point:	~ 32.00 F
Boiling Point:	~ 212.00 F
Flash Pt:	None Method Used: No Flash To Boiling
Evaporation Rate:	< 1 (BuAC=1)
Flammability (solid, gas):	
Explosive Limits:	LEL: N.D. UEL: N.D.
Vapor Pressure (vs. Air or mm Hg):	N.D.
Vapor Density (vs. Air = 1):	> 1
Specific Gravity (Water = 1):	.9902 - 1.0202
Density:	8.24 - 8.49 LB/GL
Solubility in Water:	Complete
Saturated Vapor Concentration:	N.D.
Octanol/Water Partition Coefficient:	ND
Percent Volatile:	98.47 % by weight.
VOC / Volume:	< 0.5000 % WT
Autoignition Pt:	N.D.
Decomposition Temperature:	- N.D.
Viscosity:	< 5 CPS
a_fld_hdr[9]:	ND = Not Determined.
Information with regard to primary physical hazard:	
	10. STABILITY AND REACTIVITY
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	
Incompatibility - Materials To Avoid:	Strong oxidizers and acids.
Hazardous Decomposition o Byproducts:	r Carbon dioxide and carbon monoxide
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]

Conditions To Avoid - Hazardous Reactions:

Printed: 09/12/2023 Revision: 09/12/2023

Supersedes Revision: 04/29/2020

### 11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 6834-92-0:

Standard Draize Test, Skin, Species: Guinea pig, 250.0 MG, 24 H, Moderate.

Result:

Effects on Fertility: Other measures of fertility.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 31,481, 1975

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,

Vol/p/yr: 10(4),427, 1991

#### Chronic Toxicological

Effects:

CAS # Hazardous Components (Chemical Name) NTP IARC ACGIH OSHA

6834-92-0 Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate

(pentahydrate)}

68439-46-3 Alcohols, C9-11, ethoxylated

### 12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

### 14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated for transport.

DOT Hazard Class: UN/NA Number:

**Additional Transport** 

Information:

## 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

6834-92-0 Silicic acid (H2SiO3), Disodium salt {Sodium No No No

metasilicate (pentahydrate)}

68439-46-3 Alcohols, C9-11, ethoxylated No No No

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

**GHS** format

Page: 5 of 6

Page: 6 of 6 Printed: 09/12/2023 Revision: 09/12/2023

Supersedes Revision: 04/29/2020

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

6834-92-0 Silicic acid (H2SiO3), Disodium salt {Sodium TSCA: Inventory

metasilicate (pentahydrate)}

68439-46-3 Alcohols, C9-11, ethoxylated TSCA: Inventory

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

## **16. OTHER INFORMATION**

**Revision Date:** 09/12/2023 **Previous revision:** 04/29/2020

Preparer Name: W.M. Barr EHS Dept (901)775-0100

**Additional Information About** 

This Product:

**Company Policy or** 

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.