




# WANDACLEAN DEGREASER

## Item #520192

FOR PROFESSIONAL USE ONLY

### Description

WandaClean Degreaser is a very good general purpose cleaner designed to remove dirt, oils, grease, dust and other contaminants that prevent proper topcoat adhesion and optimal final appearance. It is suitable for cleaning and degreasing bare metal, existing finishes, and primer surfacers. It is not recommended for use on plastic or fiberglass body parts. For these applications, use AkzoNobel Ultra Prep Surface Cleaner (#509927).



Mixing Ratio:

Ready to Use



#### Safety Considerations

Use suitable personal protection.

Always wear gloves when degreasing. This will reduce the risk of solvent absorption into the hands and prevents salts and oils from your hands contaminating the surface to be refinished.

Refer to the product Material Safety Data Sheet (MSDS) for more complete safety information.

Always place used degreasing rags in a sealed container that meets local requirements to avoid the risk of spontaneous combustion fire.

Read complete TDS for detailed product information



# WANDACLEAN DEGREASER

## Item #520192

FOR PROFESSIONAL USE ONLY


### Description

WandaClean Degreaser is a very good general purpose cleaner designed to remove dirt, oils, grease, dust and other contaminants that prevent proper topcoat adhesion and optimal final appearance. It is suitable for cleaning and degreasing bare metal, existing finishes, and primer surfacers. It is not recommended for use on plastic or fiberglass body parts. For these applications, use AkzoNobel AutoPrep™ Ultra Prep Surface Cleaner (#509927).

### Products and additives

**Product:** WandaClean Degreaser - #520192

### Material preparation and mixing



Ready to use

### Application process



#### Before cleaning with a surface cleaner degreaser:

When a repair is to be made or a finish is to be recoated, the first thing to do is to wash the car or surface of the body panel under treatment. For optimal cleaning and removal of all water-soluble contaminants.( e.g., bird droppings, flies, tree sap), wash down the vehicle with warm water and pH neutral detergent. Rinse with clean water and dry with a clean cloth. Contamination of residual grease, oil, wax and silicones will not be removed.

#### Cleaning technique:

After washing the car, or the surface of the body panel under treatment, wet a clean cloth with WandaClean Degreaser and clean / degrease the surface under treatment. This will remove surface contaminants and prepare for optimal adhesion of the paint system. Concentrate on 12 by 12 inch areas. Immediately wipe the surface thoroughly dry with a clean, dry towel, turning the towel often. Always use two cloths, as one cloth will merely shift rather than remove dirt and grease. Repeat this process until the entire panel is clean.

Do not allow the cleaner to evaporate on the panel substrate surface, or the contamination on the surface will remain. Wipe the surface thoroughly dry before the degreaser evaporates.

Note: Do not leave the surface exposed for an extended time after degreaser is applied. If this occurs, repeat the cleaning and degreasing process for the affected area.

### VOC

The VOC content of this product is 755 g/liter, 6.3 lb/gallon

### Storage

Product shelf-life is determined when products are stored unopened in the original container at 70°F (20°C). Avoid extensive temperature fluctuation.

Shelf life: 2 years at room temperature



# WANDACLEAN DEGREASER

## Item #520192

FOR PROFESSIONAL USE ONLY

### Notes

- Use proper Personal Protection Equipment, refer to MSDS for Health and Safety Data
- Regularly replace cloths used for degreasing and cleaning with clean ones. Always place used degreasing rags in a sealed container that meets local requirements to avoid the risk of a spontaneous combustion fire.

### FOR PROFESSIONAL USE ONLY

**IMPORTANT NOTE:** The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Coatings brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

#### Head Office

Akzo Nobel Car Refinishes Inc. 1845 Maxwell Drive Troy, MI 48084, USA.